

Compassion Satisfaction/ Fatigue Self-Test for Helpers

Adapted with permission from Figley, C.R., (1995).
Compassion Fatigue, New York: Brunner/Mazel.
© B. Hudnall Stamm, Traumatic Stress Research
Group, 1995 -1998 <http://www.dartmouth.edu/~bhstamm/index.htm>.

This form may be freely copied as long as (a) authors are credited, (b) no changes are made, & (c) it is not sold.


Helping others puts you in direct contact with other people's lives. As you probably have experienced, your compassion for those you help has both positive and negative aspects. This self-test helps you estimate your compassion status: How much at risk you are of burnout and compassion fatigue and also the degree of satisfaction with your helping others. Consider each of the following characteristics about you and your current situation. Print a copy of this test so that you can fill out the numbers and keep them for your use. Using a pen or pencil, write in the number that honestly reflects how frequently you experienced these characteristics in the last week. Then follow the scoring directions at the end of the self-test.

0 Never	1 Rarely	2 A Few Times	3 Somewhat Often	4 Often	5 Very Often
------------	-------------	------------------	------------------------	------------	-----------------

Items About You

- _____ 1. I am happy.
- _____ 2. I find my life satisfying.
- _____ 3. I have beliefs that sustain me.
- _____ 4. I feel estranged from others.
- _____ 5. I find that I learn new things from those I care for.
- _____ 6. I force myself to avoid certain thoughts or feelings that remind me of a frightening experience.
- _____ 7. I find myself avoiding certain activities or situations because they remind me of a frightening experience.
- _____ 8. I have gaps in my memory about frightening events.
- _____ 9. I feel connected to others.
- _____ 10. I feel calm.
- _____ 11. I believe that I have a good balance between my work and my free time.
- _____ 12. I have difficulty falling or staying asleep.
- _____ 13. I have outburst of anger or irritability with little provocation
- _____ 14. I am the person I always wanted to be.
- _____ 15. I startle easily.
- _____ 16. While working with a victim, I thought about violence against the perpetrator.
- _____ 17. I am a sensitive person.
- _____ 18. I have flashbacks connected to those I help.
- _____ 19. I have good peer support when I need to work through a highly stressful experience.
- _____ 20. I have had first-hand experience with traumatic events in my adult life.

© B. Hudnall Stamm, 1997-2008. *Professional Quality of Life: Compassion Satisfaction and Fatigue Scales, R-IV (ProQOL)*. <http://www.proqol.org>. This test may be freely copied as long as (a) author is credited, (b) no changes are made, and (c) it is not sold. This information is presented for educational purposes only. It is not a substitute for informed medical advice or training. Do not use this information to diagnose or treat a health problem without consulting a qualified health or mental health care provider. If you have concerns, contact your health care provider, mental health professional, or your community health center.




Leading with Courage

- _____ 21. I have had first-hand experience with traumatic events in my childhood.
- _____ 22. I think that I need to "work through" a traumatic experience in my life.
- _____ 23. I think that I need more close friends.
- _____ 24. I think that there is no one to talk with about highly stressful experiences.
- _____ 25. I have concluded that I work too hard for my own good.
- _____ 26. Working with those I help brings me a great deal of satisfaction.
- _____ 27. I feel invigorated after working with those I help.
- _____ 28. I am frightened of things a person I helped has said or done to me.
- _____ 29. I experience troubling dreams similar to those I help.
- _____ 30. I have happy thoughts about those I help and how I could help them.
- _____ 31. I have experienced intrusive thoughts of times with especially difficult people I helped.
- _____ 32. I have suddenly and involuntarily recalled a frightening experience while working with person I helped. a
- _____ 33. I am pre-occupied with more than one person I help.
- _____ 34. I am losing sleep over a person I help's traumatic experiences.
- _____ 35. I have joyful feelings about how I can help the victims I work with.
- _____ 36. I think that I might have been "infected" by the traumatic stress of those I help.
- _____ 37. I think that I might be positively "inoculated" by the traumatic stress of those I help.
- _____ 38. I remind myself to be less concerned about the well being of those I help.
- _____ 39. I have felt trapped by my work as a helper.
- _____ 40. I have a sense of hopelessness associated with working with those I help.
- _____ 41. I have felt "on edge" about various things and I attribute this to working with certain people I help.
- _____ 42. I wish that I could avoid working with some people I help.
- _____ 43. Some people I help are particularly enjoyable to work with.
- _____ 44. I have been in danger working with people I help.
- _____ 45. I feel that some people I help dislike me personally.

Items About Being a Helper and Your Helping Environment

- _____ 46. I like my work as a helper.
- _____ 47. I feel like I have the tools and resources that I need to do my work as a helper.
- _____ 48. I have felt weak, tired, run down as a result of my work as helper.
- _____ 49. I have felt depressed as a result of my work as a helper.
- _____ 50. I have thoughts that I am a "success" as a helper.
- _____ 51. I am unsuccessful at separating helping from personal life.
- _____ 52. I enjoy my co-workers.
- _____ 53. I depend on my co-workers to help me when I need it.
- _____ 54. My co-workers can depend on me for help when they need it.
- _____ 55. I trust my co-workers.
- _____ 56. I feel little compassion toward most of my co-workers
- _____ 57. I am pleased with how I am able to keep up with helping technology.
- _____ 58. I feel I am working more for the money/prestige than for personal fulfillment.
- _____ 59. Although I have to do paperwork that I don't like, I still have time to work with those I help.
- _____ 60. I find it difficult separating my personal life from my helper life.
- _____ 61. I am pleased with how I am able to keep up with helping techniques and protocols.
- _____ 62. I have a sense of worthlessness/disillusionment/resentment associated with my role as a helper.
- _____ 63. I have thoughts that I am a "failure" as a helper.
- _____ 64. I have thoughts that I am not succeeding at achieving my life goals.
- _____ 65. I have to deal with bureaucratic, unimportant tasks in my work as a helper.
- _____ 66. I plan to be a helper for a long time.

© B. Hudnall Stamm, 1997-2008. *Professional Quality of Life: Compassion Satisfaction and Fatigue Scales, R-IV (ProQOL)*. <http://www.proqol.org>. This test may be freely copied as long as (a) author is credited, (b) no changes are made, and (c) it is not sold. This information is presented for educational purposes only. It is not a substitute for informed medical advice or training. Do not use this information to diagnose or treat a health problem without consulting a qualified health or mental health care provider. If you have concerns, contact your health care provider, mental health professional, or your community health center.



Leading with Courage


Scoring Instructions

Please note that research is ongoing on this scale and the following scores should be used as a guide, not confirmatory information. Cut points are theoretically derived and should be used with caution and only for educational purposes.

1. Be certain you respond to all items.
2. Mark the items for scoring:
 - a. Circle the following 23 items: 4, 6-8, 12, 13, 15, 16, 18, 20-22, 28, 29, 31-34, 36, 38-40, 44.
 - b. Put a check by the following 16 items: 17, 23-25, 41, 42, 45, 48, 49, 51, 56, 58, 60, 62-65.
 - c. Put an x by the following 26 items: 1-3, 5, 9-11, 14, 19, 26-27, 30, 35, 37, 43, 46-47, 50, 52-55, 57, 59, 61, 66.
3. Add the numbers you wrote next to the items for each set of items and note:
 - a. Your potential for Compassion Satisfaction (x): 118 and above=extremely high potential; 100-117=high potential; 82-99=good potential; 64-81=modest potential; below 63=low potential. **Your score** _____
 - b. Your risk for Burnout (check): 36 or less=extremely low risk; 37-50=moderate risk; 51-75=high risk; 76-85=extremely high risk. **Your score:** _____
 - c. Your risk for Compassion Fatigue (circle): 26 or less=extremely low risk, 27-30=low risk; 31-35=moderate risk; 36-40=high risk; 41 or more=extremely high risk. **Your score:** _____

Adapted with permission from Figley, C.R., (1995). *Compassion Fatigue*, New York: Brunner/Mazel. © B. Hudnall Stamm, Traumatic Stress Research Group, 1995 -1998 <http://www.dartmouth.edu/~bhstamm/index.htm>.

Interpretation is on the next page. At the workshop or in my Newsletters, you will learn more.



Leading with Courage

Based on your responses, your personal scores are below

Your Scores On The ProQOL: Professional Quality of Life Screening For more information on the ProQOL, go to <http://www.proqol.org>

Based on your responses, your personal scores are below. If you have any concerns, you should discuss them with a physical or mental health care professional.

Compassion Satisfaction _____

Compassion satisfaction is about the pleasure you derive from being able to do your work well. For example, you may feel like it is a pleasure to help others through your work. You may feel positively about your colleagues or your ability to contribute to the work setting or even the greater good of society. Higher scores on this scale represent a greater satisfaction related to your ability to be an effective caregiver in your job.

The average score is 37 (SD 7; alpha scale reliability .87). About 25% of people score higher than 42 and about 25% of people score below 33. If you are in the higher range, you probably derive a good deal of professional satisfaction from your position. If your scores are below 33, you may either find problems with your job, or there may be some other reason—for example, you might derive your satisfaction from activities other than your job.

Burnout _____

Most people have an intuitive idea of what burnout is. From the research perspective, burnout is associated with feelings of hopelessness and difficulties in dealing with work or in doing your job effectively. These negative feelings usually have a gradual onset. They can reflect the feeling that your efforts make no difference, or they can be associated with a very high workload or a non-supportive work environment. Higher scores on this scale mean that you are at higher risk for burnout.

The average score on the burnout scale is 22 (SD 6.0; alpha scale reliability .72). About 25% of people score above 27 and about 25% of people score below 18. If your score is below 18, this probably reflects positive feelings about your ability to be effective in your work. If you score above 27 you may wish to think about what at work makes you feel like you are not effective in your position. Your score may reflect your mood; perhaps you were having a “bad day” or are in need of some time off. If the high score persists or if it is reflective of other worries, it may be a cause for concern.

Compassion Fatigue/Secondary Trauma _____

Compassion fatigue (CF), also called secondary trauma (STS) and related to Vicarious Trauma (VT), is about your work-related, secondary exposure to extremely stressful events. For example, you may repeatedly hear stories about the traumatic things that happen to other people, commonly called VT. If your work puts you directly in the path of danger, such as being a soldier or humanitarian aide worker, this is not secondary exposure; your exposure is primary. However, if you are exposed to others’ traumatic events as a result of your work, such as in an emergency room or working with child protective services, this is secondary exposure. The symptoms of CF/STS are usually rapid in onset and associated with a particular event. They may include being afraid, having difficulty sleeping, having images of the upsetting event pop into your mind, or avoiding things that remind you of the event.

The average score on this scale is 13 (SD 6; alpha scale reliability .80). About 25% of people score below 8 and about 25% of people score above 17. If your score is above 17, you may want to take some time to think about what at work may be frightening to you or if there is some other reason for the elevated score. While higher scores do not mean that you do have a problem, they are an indication that you may want to examine how you feel about your work and your work environment. You may wish to discuss this with your supervisor, a colleague, or a health care professional.